





















**texi* Forte UF



1-needle lockstitch machine with unison feed, height-adjustment of walking feet and large hook. Equipped with AC Servo 220-240 V motor 750 W and needle positioner. Perfect for upholsterers, leather workers, leather garment and car seat (automotive) producers, etc. For sewing heavy and very heavy materials.

2.800 s.p.m

Technical specification: unsion feed - bottom, presser foot and needle, stitch length up to 8 mm, presser feet lifting up to 14 mm, maximum sewing speed 2.800 s.p.m., 26 cm clearance between needle bar and machine's arm, automatic needle positioning, large hook (vertical axis), needles system 134-35, recommended thread sizes up to 15





2 YEARS WARRANTY

TABLE TOP PREMIUM EX

The highest quality table top made of moisture resistant birch plywood (30 layer) which perfectly damps vibrations. PREMIUM EX table top surface is coated with a special laminate with a structure suitable for the textile industry. Maximum resistant to impact, abrasion and splinters. Sides protected by ABS slats.

- 1. For machines: Texi Forte Cilindro UF, Texi Forte Cilindro-B UF
- 2. For machine Texi Forte Matic Dry NF
- 3. For machine Texi Forte UF

STAND PREMIUM EX SILVER

Steel, stable and durable stands with height adjustment. Silver colour RAL 9006.

- 1. For machine Texi Forte Matic Dry NF
- 2. For machines: Texi Forte UF, Texi Forte Cilindro UF, Texi Forte Cilindro-B UF

MORE POWER. LESS COSTS.

Machines with UF unison feed are equipped with powerful AC Servo 750 W motors and needle positioner. Machine with NF needle feed has built-in AC Servo 550 W motor and full automatic functions.





TEXI POWER 750 S